Woodsman Select .042"

# Woodsman Select

PREMIUM VINYL SIDING




The Warm, Natural Look of Rough-Sawn Cedar



## The Look of Wood, the Value of Vinyl

#### FEATURES AND BENEFITS



.042" panel thickness with a low gloss natural cedar woodgrain pattern.

A 5/8" panel projection provides rigidity and casts deep, appealing shadow lines.



# **litanBar**

A heavy-duty extended return leg snaps tightly into the TitanBar™ Reinforced Nail Hem, which is double the thickness of the siding panel under the nail head, for an installation that's solid and secure, protecting against panel blow off in adverse weather conditions.







XLok<sup>™</sup> Technology combines the TitanBar Reinforced Nail Hem and the NailRIGHT™ Siding Installation System, two innovations that help ensure the siding is securely interlocked and properly affixed to the wall.





ColorHold® is a highly durable capstock that resists fading and discoloring and is backed by a limited lifetime transferable warranty\*, including Lifetime Fade Protection. Specify the most brilliant and rich hues with absolute confidence.

\*Visit www.norandex.com to view warranty details.



Matching and contrasting soffit, accessories, shakes and shingles available to give your home a one-of-a-kind look.







MAKE WOODSMAN SELECT PREMIUM VINYL SIDING THE CHOICE FOR THE LIFE OF YOUR HOME.



Virtually maintenance free. Save time and money on upkeep costs.



Because it's solid vinyl, it won't blister, crack, flake, peel or rot like wood exteriors.



A sound investment that can help increase the resale value of your home.



### **FOUR DISTINCTIVE PROFILES:**

- Double 4" Clapboard
- Double 5" Clapboard
- Double 4" Dutchlap
- Double 5" Dutchlap











This is a visual representation of the actual fade that can be expected on vinyl siding and soffit.

Colors are mechanically reproduced.

#### **23 BEAUTIFUL COLORS**

















Granite PREMIUM



## Safe, Secure Installation





The "X" appears every 8" on the nailing hem as a guide to help determine location of hidden wall studs.

Your professional installation crew takes every possible precaution to make sure your new siding looks and performs its best.

They use the Norandex proprietary NailRIGHT™ Siding Installation System to help them locate and precisely nail into the framing studs. This is a very important detail because misapplied nails can cause siding to buckle, blow off in windy conditions, or be hazardous if they strike wiring or plumbing located between the studs.

NailRIGHT helps ensure an accurate and safe installation. It securely connects the siding to the wall for optimum performance. This means the beautiful siding you select will not only stand out, but will stay up, even in extreme weather conditions.


#### AVOID:



Nails that miss their mark can be potentially hazardous to items, like wiring and plumbing, located in the cavities between studs.



NailRIGHT helps guide the installer to the studs for an installation that's strong and secure, resisting blow offs.



NailRIGHT assures the proper amount of nails are used, saving your home from unnecessary hammer hits.



Woodsman Select .042"

## Complement Your New Siding With Other Quality Exterior Products



The quality of your home matters to us, which is why we provide a range of high-quality products beyond just siding to enhance and safeguard your home. Whether you need entry doors, energy-efficient windows, soffit, trim or metals, you can be assured that you have chosen reliable, top-performing products to complete your home.



1-800-528-0942 www.norandex.com